

## **5XTL Series Maize Thresher**

5XTL Maize Thresher is designed for gentle separation of maize kernels from the cobs and removal of rachis. They find application mainly in the seed processing sector, where maize cobs are harvested as a whole unit. In the processing plant, the machine is positioned after husking and cob drying. The maize thresher removes the kernels in the gentlest possible way by rubbing the cobs against each other without any risk of harming the germination capacity of the sensitive maize seed.



## **APPLICATION**

5XTL series maize thresher has very high quality and long using life.

- Low damage rate
- Flexible application
- High performance
- Minimum maintenance
- High capacity



Model	Capacity(T/H)	Power(KW)	Dimension(MM)	Weight(KG)
5XTL-3	3	4	1500*900*1100	200
5XTL-5	5	5.5	1600*1000*1200	250
5XTL-10	10	7.5	1974*1000*1200	450

## Healthy Grain, Pretty Beans, Strong Seed. SYNMEC

We serve for



Shijiazhuang SYNMEC International Trading LTD. and Hebei RUIXUE Grain Selecting Machinery Limited have all the copyright of the information and pictures provided in this leaflet. We have all the rights to do necessary adjustments on the product, and these changes may not reflect on the leaflet at the moment

Shijiazhuang City, Hebei Province, China 050011 Manufactory: Huaihe Industry Park, Hongqida Street, Shijiazhuang City,

Hebei Provice, China 050000

+86 311 89901997

Fax: +86 311 67663887

Mobile: +86 13273161281 (Tony)

Whatsapp: +86 13803340060

Imo: +86 13803340060

Wechat: 13803340060

Email: tony@synmec.com