

## **Introductions**

The Auger-type elevator can lift the wheat or corn and discharge it in to processing machine or packaging machinery as required.

The length and diameter of the elevator can be customized by client's request.

It was widely used for many areas. The high efficiency working rate with low cost.



## **FEATURES**

- Large quantity and fine fluidity
- Easy moving and operation
- Simple maintenance
- Low energy consumption and high-efficiency.





We can make normal steel or stainless steel auger.

We will manufacture the auger according to client's requirement such as length, lifting height and capacity.

## 304 Small stainless steel auger available



We can make it to complete normal steel or stainless steel auger.

We will manufacture the auger according to client's requirement such as length, lifting height and capacity.

The Thickness of Steel Board is between 2mm to 3mm. It is durable and hard for using ten years at least. It also can work at low temperature and hot areas.







## Healthy Grain, Pretty Beans, Strong Seed. SYNMEC

We serve for



Shijiazhuang SYNMEC International Trading LTD. and Hebei RUIXUE Grain Selecting Machinery Limited have all the copyright of the information and pictures provided in this leaflet. We have all the rights to do necessary adjustments on the product, and these changes may not reflect on the leaflet at the moment

Shijiazhuang City, Hebei Province, China 050011 Manufactory: Huaihe Industry Park,

Manufactory: Huaihe Industry Park, Hongqida Street, Shijiazhuang City, Hebei Provice, China 050000 Fax: +86 311 67663887

Mobile: +86 13273161281 (Tony) Whatsapp: +86 13803340060

Imo: +86 13803340060 Wechat: 13803340060

Email: tony@synmec.com