

ISO
9001:2008
REGISTERED



SGS



BUREAU
VERITAS



www.synmec.com

SYNMEC

5BY-2 Seed Coating Machine

Reliable seeds coating solution for you



SYNMEC

The world top Manufacturer Adviser for Grain Cleaning Seed Processing Solutions

5BY-2 Seed Coating Machine



Parameter reference:

Model	5BY-2
Capacity	2000 kg/hour
Qualified coating rate	$\geq 93\%$
Broken rate	$\leq 0.1\%$
Chemical and seeds proportion	1.25~1.200
Feeding hopper motor	0.55Kw
Auger conveyor motor	1.1Kw
Dimension (L*W*H)	1600×800×1500 mm
Weight	200 kg

Application:

5BY-2 Seed Coating Machine is suitable for small quantity and frequent coating.


This Seed coating machine can be continuously fed quantitative seeds and chemical liquid. It is easy to operate and offering accurate seed and liquid ratio adjustment.

This model seed coating machine is compact structure and movable. It is widely used for wheat, maize, paddy seeds etc.



Tips:

Adding lubricate oil on the motor when you start the machine



Inside vanes of auger conveyor



Check motors rotating direction when start. If not as the marked arrow, please stop and change two power wires.

5BY-2 Seed coating machine feature:



Stainless steel chemical adjusting tank



Operation handle use to adjust chemical mixing amount, there are a reading figures.



Stainless steel ball controls chemical liquid amount.

Spoon feeding type ensures chemical liquid evenly supply.

Handle adjust the chemical liquid receiving hopper opening size.

5BY-2 Seed Coating Machine photos:



Seed coating results:



We are the best choice for you!

Factory view



Office Building

Workshops



We have professional manufacturing equipment!

Drilling and milling machine	CNC lathe	Laser cutting machine
		
Plasma cutting machine	Bending machine	Shearing machine
		

Welcome clients worldwide!



Healthy Grain, Pretty Beans, Strong Seed. SYNMEC

We serve for



Shijiazhuang SYNMEC International Trading LTD. and Hebei RUIXUE Grain Selecting Machinery Limited have all the copyright of the information and pictures provided in this leaflet. We have all the rights to do necessary adjustments on the product, and these changes may not reflect on the leaflet at the moment of production.

Address:
Head office: 15th Guangan Street,
Shijiazhuang City, Hebei Province,
China 050011
Manufactory: Huaihe Industry Park,
Hongqida Street, Shijiazhuang City,
Hebei Province, China 050000

Tel: +86 311 676663887
+86 311 89901997
Fax: +86 311 67663887
Mobile: +86 13273161281 (Tony)
Whatsapp: +86 13803340060
Imo: +86 13803340060
Wechat: 13803340060
Email: tony@synmec.com