

ISO
9001:2008
REGISTERED



SGS



BUREAU
VERITAS





www.synmec.com

SYNMEC

5XWY-L Laboratory Indented Cylinder

Seeds length separator



SYNMEC

The world top Manufacturer for Grain Cleaning Solutions
Adviser for Seed Processing

5XWY-L Laboratory Indented Cylinder



Parameter reference:

Name	Laboratory indented cylinder
Model	5XWY-L
Capacity	50 kg/h
Motor power	0.13 kw
Cylinder working speed	0-50 r/min
Cylinder inclination angle	0-3°
Groove inclination angle	-30~+30°
Dimension	1000×700×1415 mm

Function:

Laboratory indented cylinder is used to separate seeds and other materials by length difference. It will remove the shorter or longer impurity. The laboratory indented cylinder is widely used for paddy, wheat, oat and other long type grain seeds.

Healthy Grain, Pretty Beans, Strong Seed. SYNMEC

We serve for



Shijiazhuang SYNMEC International Trading LTD. and Hebei RUIXUE Grain Selecting Machinery Limited have all the copyright of the information and pictures provided in this leaflet. We have all the rights to do necessary adjustments on the product, and these changes may not reflect on the leaflet at the moment of production.

Address:
Head office: 15th Guangan Street,
Shijiazhuang City, Hebei Province,
China 050011
Manufactory: Huaihe Industry Park,
Hongqida Street, Shijiazhuang City,
Hebei Province, China 050000

Tel: +86 311 676663887
+86 311 89901997
Fax: +86 311 67663887
Mobile: +86 13273161281 (Tony)
Whatsapp: +86 13803340060
Imo: +86 13803340060
Wechat: 13803340060
Email: tony@synmec.com