


SYNMEC
森迈国际 农业机械

PRODUCT CATALOGUE

Seed Cleaning & Bag Packing Machinery

Seed cleaner · Bag closing machines · Sealing machine · Filling machine



KJ-900

Continuous Sealing Machine

热熔封口机 · Sealing Machine

KJ-900
PRODUCT



PRODUCT DESCRIPTION 产品特点

This model is a Steel wheel embossing small continuous sealing machine with a metal body. It is compact, lightweight and portable, and can be easily moved to different workstations for sealing operations. It adopts a closed integrated turbine high-power motor with excellent electrical conductivity and stronger power output, ensuring stable and reliable operation. The sealing temperature can be adjusted according to the packaging material. The temperature control system is accurate and stable with small deviation, and supports memory program setting for quick switching between different packaging processes.

该机型为小型连续封口机，金属制机身，小巧便携，可轻松搬运至不同地方进行工作。采用封闭式连体涡轮大电机，导电性强，动力更强劲。封口温度可调节，温控更稳定，偏差更小，可设置记忆程序。


APPLICATION 适用范围


This machine is widely applicable for sealing various packaging materials, such as aluminum foil bags, plastic bags, composite bags, kraft paper bags, tea bags, food packaging bags, etc.

该机可广泛应用多种材质封口，如：铝箔袋、塑料袋、复合袋、牛皮纸袋、茶叶袋、食品包装袋等。

600 W	0–300 °C	6–12 mm	32 kg
HEATING POWER	TEMPERATURE RANGE	SEALING WIDTH	NET WEIGHT







KJ-900 Specification 参数

ITEM 项目	SPECIFICATION 参数
Model 型号	KJ-900
Housing Material 机体材质	Stove varnish / Stainless steel 烤漆/不锈钢
Supply Voltage 电源电压	220V / 50Hz
Heating Power 加热功率	600 W
Temperature Range 温控范围	0–300 °C
Motor Power 电机功率	80 W
Sealing to Conveyor Distance 封口处至输送装置的距离	10–14 mm
Sealing Width 封口宽度	6–12 mm
Overall Dimension 外形尺寸	40 × 380 × 270 mm
Conveyor Load 输送台载重	≤ 5 kg
Conveyor Size 输送台尺寸	L840 × W185 × H150 mm
Product Size 机身尺寸	L820 × W385 × H310 mm
Net Weight 整机重量	32 kg

Why Choose Us











SYNMEC

20+Years Manufacturing Experience, Trustworthy Supplier



Packaging and Shipping



Warehouses



Packing



Loading



Deliver goods











Buy with assurance Reliable after-sales support

